





STORM SUPPLY

Storm Textil was founded by Niels Storm in 1991. We started as a printing company but quickly we expanded. We started producing t-shirts and additional products were added to the assortment over the years.

In 2005 we started selling machines to other printing productions. We have helped a lot of companies, all over the world, with guidance in machinery and what would be suitable for their production. We are also providing technical support and installation of the machines.

We have a big assortment of machinery that is suitable for printing productions. For example, transfer press, screen printing, packing, tunnel dryer, pre-treater, vinyl cutter, accessories and spare parts suitable for the different machines.

Most of the machines, accessories and spare parts are in stock. The big machines as screen printing and tunnel dryers are delivered by order. Delivery times depends on the individual machine.

You see a big selection of our assortment in this catalog. If you have a special request do not hesitate to ask. We can almost certainly help you.

You are in safe hands when purchasing machines at Storm Textil. You will get personal advice, guidance, and support by competent staff all the way through the process. After receiving the machines, we are still available for help and guidance. We have many years of experience and many of the machines for sale are used in our own production. Therefore, we have great knowledge and experience in usage of the machines. We can easily instruct you on how to make the machinery most profitable.



TRANSMATIC TMH 17

Manual heat press with a curved top plate that favours an easy heat transfer printing. A transfer device insures that transfer and cloth stay firmly in place during processing. Electronic time and temperature regulation.

- Print format: 140 x 80 mm Warming plate: 140 x 80 mm
- Power input: 230 V
- Wattage: 1700 Watt
- Temperature range: 40-285 °C
- Timer range: 0-999 s
- Weight: 20 kg
- Manuel opening



Pneumatic Heat press with a rotary head allowing a higher production. The Twin stations help to carry and to prepare the second garment during pressing the other piece. Electronic regulation of the time and the temperature. Automatic blocking system of all types of caps.



- Current: 230 V single phase
- Power consumption: KW 0,4
- Power consumption/h: KW/h 0,2
- , Temperature: 50-225° C
- Time adjustable: 0-999,9 sec.
- Pressure: 1000 gr/cm2
- Net weight: 45.5 Kg
- , Electronic and digital instruments with touch screen
- Setting and storage of 4 presets
- Automatic regulation of eventual errors
- Daily and historical piece counter
- Needs at least a 24 liter compressor. On the line it needs 6 bars
- Nomex-cover



TRANSMATIC TMH 28 TRANSMATIC TMH 29

- Print format: 380 x 380 mm
- Warming plate: 380 x 380 mm
- Power input: 230 V
- Wattage: 1700 Watt Temperature range: 50-305 °C
- Timer range: 0-999 s
- Weight: 32 kg
- Manuel opening

- Print format: 380 x 450 mm
- Warming plate: 380 x 450 mm
- Power input: 230 V
- Wattage: 1700 Watt
- > Temperature range: 50-305 °C > Timer range: 0-999 s
- Weight: 32 kg
- Manuel opening



TRANSMATIC TS 3/5M

Manual heat press with lateral opening. The top plate is not fixed in a rigid manner to ensure an uniform pressure between the upper plate and the bottom plate. Electronic time and temperature regulation. Exchangeable under plate with rapid screw fitting. Suitable for any type of application. Possibility to have the cap as extra option.

- Dimensions of the plate: 15×10 cm
- Current: 230 V single phase
- Power consumption: KW 0,4
- Power consumption/h: KW/h 0,2
- , Temperature: 50-225° C
- Time adjustable: 0-999,9 sec. Pressure: 1000 gr/cm2
- Net weight: 45.5 Kg
- , Electronic and digital instruments with touch screen
- Setting and storage of 4 presets
- Automatic regulation of eventual errors Daily and historical piece counter
- Nomex-cover



TRANSMATIC REV 2CA

Electric working press with front opening, strong construction and good pressure. No compressed air needed. Electronic and digital touch screen with visual control of temperature, pressure and time with advice of eventual errors. Exchangeable under plate. Piece counter, Nomex-cover.

- Print format: 500 x 400 mm
- Warming plate: 500 x 400 mm
- Power input: 230 V
- Wattage: 1700 Watt
- Temperature range: 40-255 °C
- Timer range: 0-999 s Weight: 85/96 kg
- Automatic opening

TRANSMATIC REV 5 S/SA

Electric heat swinger press with double plate and lateral move. Long lasting strong construction and a good pressure. No compressed air needed. Half-automatic closing and automatic opening. Electronic and digital instruments with visual control of temperature, time and pressure with advice of eventual errors. Exchangeable under plate. Possibility to have the cap accessory as extra option. Piece counter, Nomex-cover.

- Print format: 500 x 400 mm
- Warming plate: 500 x 400 mm
- Power input: 230 V
- Wattage: 1700 Watt
- Temperature range: 40-255 °C
- Timer range: 0-999 s
- Weight: 97/144 kg
- > Electronic and digital instruments with touch screen
- , Setting and storage of 4 presets
- , Automatic regulation of eventual errors
- Daily and historical piece counter
- Nomex-cover



TRANSMATIC TS 5P A

Pneumatic heat press with double heating plates and moveable heating plate. Electronic and digital touch screen with visual control of temperature, pressure and time with advice of eventual errors. Exchangeable under plate. Possibility to have the cap accessory as extra

- Print format: 500 x 400 mm
- Warming plate: 500 x 400 mm
- Power input: 230 V
- , Wattage: 2700 Watt
- Temperature range: 50-305
- Timer range: 0-999 s
- Weight: 116 kg
- Electronic and digital instruments with touch screen
- Setting and storage of 4 presets
- Automatic regulation of eventual errors
- Daily and historical piece counter
- Needs at least a 24 liter compressor. On the line it needs 6 bars

Nomex-cover

TRANSMATIC TS 100/70 TC

Semi automatic press with strong pressure. Electronic and digital touch screen with visual control of temperature, pressure and time with advice of eventual errors.

- Print format: 1000 x 700 mm
- Warming plate: 500 x 400 mm
- Power input: 230 V
- , Wattage: 2700 Watt
- Temperature range: 50-255 °C
- Timer range: 0-760 s
- Weight: 310 kg

- , Electronic and digital instruments with touch screen
- Setting and storage of 4 presets
- Automatic regulation of eventual errors Daily and historical piece counter
- Nomex-cover





DRUCKTECH SSH 12-A

Conventional heat-press for caps; simple structure, massive design, the heated plate is covered with teflon, tiltable cap fixing; without transfer fixing device.

- Print format: 150 x 200 mm
- , Cap plate: 130 x 90 mm
- Power input: 230 V, 450 W
- Timing range: 0-99 s
- Pneumatic connection: 2-10 bar
- Max. pressure on membrane: 1,5 bar
- Normal pressure on membrane: 0,5 bar
- Air usage: 10 l/min
- , Size: 0.35 x 0.5 x 0.4 m
- Weight: 18 kg

- , Automatic PID temperature control
- automatic digital time counter
- Suppression frame made of Teflon fabric
- Pneumatic pressure control
- Ironing moment function
- , the plate is adjustable, interchangeable
- Adjustable table hotplate removal
- , low compressed air consumption



DRUCKTECH SP 45-S-A

A manual heat-press with a 40x50 cm membrane plate. Due to the new structure, T-shirts can be pulled on the workplate easily and thicker material also fit. The membrane plate of the heat-press can be rotated and replaced by smaller ones. The self-adjusting heated plate is connected with a plug and can be rotated 90°.

- Print format: 400 x 500 mm
- Power input: 230 V, 450 W
- Timing range: 0-99 s
- Pneumatic connection: 2-10 bar
- Max. pressure on membrane: 1,5 bar
- Normal pressure on membrane: 0,5 bar
- Air usage: 10 l/min
 Size: 30 x 50 x 40 cm
- Weight: 20 kg

- , Automatic PID temperature control
- · Automatic digital time counter
- Pneumatic pressure control
- Hot plate with teflon fabric covering
- Ironing moment function
- , Interchangeable table
- Adjustable hot plate distance
- Low compressed air consumption



DRUCKTECH PHP45-2

Double pneumatic heat press with 40x50 cm membrane plates. Due to the two membrane plates productivity can be double, while power consumption is on the level of a single plated heat-press. Various functions can be set using the PLC unit of the machine. The heat-press does not need a separate table as it has wheeled legs.

- Plate, heated plate: 40x50 cm
- Membrane plate
- , Changeable plate
- , Traditional plate , Autorelease
- Power: 230 V / 2100 W
- Compressed air consumption: 45 Max. pressing power: 0,7
- Max. material thickness: 3 cm
- Size: 80x170x150 cm Weight: 200 kg
- Automatic movement of heated plate after moving the heated plate (can be switched on or off)
- Self-adjusting heated-plate
- Safety frame
- Different time setting for the 2 plates
- The flat membrane plates work as a traditional workplate if used without compressed air.
- · Changeable, rotatable workplate.



DRUCKTECH PHP45-2R

Double pneumatic heat press with 40x50 cm membrane plates. Due to the two membrane plates productivity can be double, while power consumption is on the level of a single plated heat-press. Various functions can be set using the PLC unit of the machine: different time for the plates. automatic ironing (the heated plate goes down automatically when in right position) etc.

- , Plate, heated plate: 40 x 50 cm
- , Membrane plate
- · Changeable plate , Traditional plate
- , Autorelease
- Power: 230 V / 2100 W
- Ompressed air consumption: 45
- Max. pressing power: 0,7
- , Max. material thickness: 3 cm
- Size: 80x120x150 cm
- Weight: 180 kg

- , Automatic movement of heated plate after moving the heated plate (can be switched
- Self-adjusting heated-plate
- Safety frame
- Different time setting for the 2 plates
- The flat membrane plates work as a traditional workplate if used without compressed air.



SCHULZE SWING X

The SCHULZE Swing S / SX series can be seen as a highlight among the manual transfer presses. The Schulze Swing S series not only opens automatically. No! The heating plate is also automatically moved to the side. So you only need to worry about inserting the textile part. Regardless of whether you use the SCHULZE Swing S/SX series for caps, umbrellas, bags or many other things.

- Print format: 400 x 500 mm
- Machine size: 1840 x 860 x 940 mm
- Power input: 230 V
- Temperature: max. 220 C
- Temperature accurancy +- 0,5%
- Heating capacity: 2.4 kW
- Preheating time: 12 min
- Time setting: max. 12 min
- Contact pressure: max. 1050 kg
- Weight: 90 kg



Double pneumatic transfer press, semi automatisk top model. Print can be adjusted by air manometer which also ensures the same pressure regardless the quality of the garment. Digital temperature and time control. It opens automatically when the transfer is done. The underplates come in different sizes. Machine is delivered as on the photo, incl. table.

- Print format: 400 x 500 mm
- Machine size: 170 x 60 x 85 cm
- Power input: 230 V
- Temperature: max. 220 °C
- Temperature accurancy: +- 0,5%
- Heating capacity: 2 kW
- Preheating time 12 min
- Time setting: max 9 min 59 sec.
- Contact pressure: max. 1050 kg
- Weight: 160 kg














TRANSMATIC AND SCHULZE **BOTTOM PLATES AND PALLETS**

Under table with large shelf.

- , Transmatic pallets
- 13 x 13 cm
- , 15 x 15 cm
- 38 x 10 cm
- 20 x 30 cm
- 38 x 18 cm
- , 38 x 28 cm
- 30 x 35 cm
- 38 x 38 cm , 50 x 40 cm

- Schulze pallets
- Baseplate straight 12 x 12 cm
- Baseplate straight 20 x 20 cm
- Sleeve palette 10 x 45 cm
- Baseplate straight 25 x 25 cm
- Baseplate 38 x 45 cm
- Baseplate 40 x 50 cm
- Baseplate oval ca. 23 x 41 cm
- Baseplate round Ø 130mm
- Baseplate round Ø 180mm
- Baseplate for cap press 8 x 16 cm
- Baseplate 15 x 15 cm
- Baseplate set for round label
- Baseplate 28 x 35 cm
- Baseplate for textile printing 40 x 50 cm
- Baseplate 10 x 13 cm
- Baseplate 22 x 32 cm
- Baseplate 70 x 100 cm
- Base plate for shoes 40 x 50 cm
- Baseplate polo 30 x 50 cm
- Baseplate for DTG 38 x 45 cm





TABLE

Under table with large shelf.



- Max load: 150 kg Size: 90 x 73 x 75 cm

SCHULZE PRETREATMAKER IV

The Schulze PRETREATmaker IV is an automatic high-end pretreatment machine for professional high volume customers resulting from consistent refinement and trend insights. As a novelty the unit is equipped with a multiphase motor (step motor). This Pretreatment Machine does have a total of 4 spray valves which can be individually switched on or off. The maximum spray area is 16 in width and 24 in length. The width can be regulated by switching the 4 spray nozzle valves on or off.

- , Flexible and Consistent Spray Amount Adjustment
- , Flexible and Accurate Spray Length Adjustment: 1 inches to 20 inches
- 4 Spray Nozzles
- Spray Area: 16 x 24 cm
- Most Advanced Touch Screen Control
- Barcode Integration Capability



DIRECT FILM





HANRUN PAPER DTF PRO A330

Hanrun paper® PRO-A330 DTF printer is a DTF printer specially developed for those customers who pursue high quality and do not need large-width machines. The pro series has higher continuous printing stability, more software compatibility , better printing fineness and it also has a half year longer warranty.

The DTF printing device is the market's most advanced DTF solution. In comparison to other hardware systems, the DTF printer has a lot of advantages compares to other machines (including Toner Transfer, or even high-end DTG). Works on both white and dark textiles and works with a variety of fabric styles (cotton, poly, blends, leathers, denim, and more).

- · Ultimate professional performance
- Lower power consumption, stronger performance
- 30% better color reproduction than evo series
- Better software compatibility
- Faster printing speed and higher precision

HANRUN PAPER DTF PRO A602 (2XWHITE PRINTHEADS)

Hanrun paper® PRO-A602 is a DTF printer specially developed for those customers who pursue high quality and mass production. The Pro series is a high-end flagship series developed by us, compared with the EVO series, the pro series has higher continuous printing stability, more software compatibility, better printing fineness and it also has a half year longer warranty.



- , CMYK printing & 9 multi-color fluorescent printing
- Adaptive unwinder
- · Cost effective

HANRUN PAPER DTF PRO A604 (4XWHITE PRINTHEADS)

Hanrun paper® PRO-A604 is a DTF printer specially developed for those customers who pursue high quality and mass production. The Pro series is a high-end flagship series developed by us, compared with the EVO series, the pro series has higher continuous printing stability, more software compatibility, better printing fineness and it also has a half year longer warranty.

- 4 x Epson I3200 Printhead
- 600mm/24" print width
- , 9 color scheme
- Perfect for gradient color

HANRUN PAPER DTF PRO A604 (FLUORESCENT PRINTER)

DTF printing is a new technology to replace the printing on fabric that uses laser printers and DTG (direct to fabric printing) to heat transfer T-shirt paper. DTF printing technique has several advantages, including lower investment, no pretreatment, and easier to use; and a broader range of applications, including a variety of dark and light-colored fabrics. DTF PRO A602 is a new printer designed by Hanrun paper with 3 print heads and 9 ink cartridges.









- 4 x Epson I3200 Printhead
- 600mm/24" print width
- 9 color scheme
- Perfect for gradient color

HANRUN PAPER B301 DTF POWDER SHAKER

Hanrun paper developed B301 DTF powder shaker for 300 wide format DTF printers. B301 DTF Powder Shaking machine has a Flat stainless steel non-suction platform, but the tunnel drying ability is great.

The top can manually adjust the powder feeding direction, and the powder feeding amount can be automatically controlled to reduce the difficulty of operation. High-speed drying can also meet the high-speed printing requirements of the PRO DTF printer series.



- , Shake the powder evenly
- Convenient operation
- Automatic rolling

HANRUN PAPER B602 DTF POWDER SHAKER

Hanrun paper developed 2 different powder shakers, for 600 wide format DTF printer. B601 DTF powder shaking machine has a arch bridge stainless steel non-suction platform, the longer width effectively extends the heating duration of the medium in the tunnel.

For B602, which has the mesh belt conveyor belt suction platform is very flexible, which is more suitable for single-piece cutting and rewinding baking, which can effectively prevent the media from arching and deformation during baking. You can boost your production efficiency and quality using a combination of PRO A600 2 head DTF printer and B603 powder shaker machine.

- , Air Suction adjustment
- Reduce the possibility of arching deformation
- , Constant temperature heating
- · Automatic rolling



In addition to printing speed, another critical factor determining DTF printer's production efficiency is the working efficiency of the powder shaker. You may need to dry the film before rewinding after printing the white ink and sprinkling the hot melt powder. Ordinary powder shaker drying can't adapt to the high-speed printing speed of the 4-head machine, so we developed B603

Powder Shaker with overall improved performance. It has an extended mesh belt and an efficient suction platform, effectively increasing the speed and preventing the film from arching. The inside of the tunnel is heated at a constant temperature and is evenly heated, which can ensure that the film does not buckle during the drying process.

- Suitable for 4-head high-speed printer
- Reduce the possibility of arching deformation
- Constant temperature heating
- › Efficient drying rate adapts to 4-head printer

HANRUN PAPER SMOKE PURIFIER P002 FOR DTF PRINTER

Hanrun paper P002 smoke purifier is designed for DTF printers that need smoke discharge, like Hanrun Paper DTF PRO series. The appearance is the fuselage integrated design, sturdy and durable. And the product is smaller in size, does not need to be installed, and is easy to move. The air volume is large, the wind speed is uniform and stable, the suction force is large, and the filtering effect is good. And optimized noise, less noise every time you use it.



- , Enhanced suction and purification capabilities
- , Small size, and is easy to move
- Less noise
- , High-efficiency filter with better filtering effect



HANRUN PAPER EVO A-1200 DTF PRINTER

In our easy-to-use EVO series, we introduce the EVO-A1200 DTF printer that unlocks the potential for high output and print speed. Equipped with 5 Epson i3200 print heads, it offers an exceptional printing speed of 50m²/h in 4 passes.

With a print width of 1200mm, experience accelerated productivity and achieve amazing results at incredible speed. Enhance your printing capabilities and meet your deadlines effortlessly.



- , 5 EPSON i3200-A1
- Max. printing width 1200mm
- Scalable production, 50m2/h
- High-efficiency multi-printer control

HANRUN PAPER EVO A-604 DTF PRINTER

Are you searching for a reliable DTF printer to take your printing business to the next level? Look no further than our latest model, designed specifically for users who are seeking to increase their production scale. The EVO A-604 DTF printer utilizes four printheads design, including two color ink heads and two white ink heads, providing significantly improved production efficiency compared to the EVO-A600. As a trusted supplier and factory, Hanrun Paper offers superior quality components, advanced technology, comprehensive technical support, and after-sales services to ensure maximum productivity and success.



- , 4 EPSON i3200-A1
- , Improve production efficiency
- , High-efficiency multi-printer control
- Reduce energy consumption

HANRUN PAPER EVO A-602 DTF PRINTER

This EVO A-602 DTF printer features four Epson i3200 printheads and uses an eight-color scheme with both fluorescent and spot colors. In addition to its fast and stable printing capabilities, it produces vibrant colors with minimal color deviation.

The EVO A-602 is a cost-effective solution that doubles the productivity of DTG printing, making it an excellent choice for creating custom designs on T-shirts, hoodies, caps, jeans, and other personalized products. Whether you're a small business owner or a large-scale manufacturer, this printer offers efficient and economical printing without sacrificing quality.



- , 4 EPSON i3200-A1
- , 9 of fluorescent/spot/gradient color
- More vivid and brilliant color
- Higher coverage capacity

HANRUN PAPER EVO A-600 DTF PRINTER

In recent years, we pay more and more attention to innovation in the research and development of DTF machines. This new EVO 600 DTF Printer has ultra-high automation and intelligent functions, which can realize innovative functions such as automatic heating, automatic cleaning, automatic monitoring, automatic moisturizing, multi-printer management control, etc. It is very suitable for long time stable printing and mass production.



- , 2 EPSON i3200-A1
- , Installation-free, adjustment-free
- Tension release system
- $, {\bf Spare\ white\ ink\ shaking\ system}$

HANRUN PAPER EVO A-450 DTF PRINTER

In the process of continuous market research, Hanrun Paper has observed that many DTF printing users have higher printing requirements but are constrained by limited space, so we launched the new Hanrun Paper EVO A-450 DTF printer to meet the requirements of such customers. The EVO A-450 DTF printing machine has been carefully designed and engineered to optimize your printing experience while conserving space.

The EVO A-450 DTF printer sets itself apart by accommodating various image sizes, surpassing the capabilities of standard A3 printers. With the capability to print designs of any size up to 450mm, this printer unlocks a world of creative possibilities for users.



- , 7-color natural&vivid printing
- , Accommodate more different image sizes
- , Printheads installation-free
- White ink filtration & circulation system

HANRUN PAPER H-1804 INDUSTRIAL UV PRINTER

In order to improve the efficiency of multifunctional UV printers, we developed this 1.8m printing-width printer. This printer is simple to operate and very stable. At the same time, we developed 12 different printing solutions for the machine to suit different application scenarios. In the golden varnish scheme, you can use the golden film and laminating machine to bring a gold effect to your pattern. And 1.8m longer printing width can further improve UV production, suitable for most flat materials and personalized printing film.



- · Up to 1750mm printing width
- , 12 different printing solutions
- 4 i3200-U1 Print heads
- Water- cooling UV lamp

HANRUN PAPER PRO A-1200 DTF PRINTER (48" 4 HEADS 9 COLOR GRADIENT COLOR)

Hanrun paper PRO A-1200 DTF large format DTF printer has upgraded a new color scheme: CMYK+W+LC/LM/LK/LLK 9-color scheme, a new color management system, which solves the problem of noise in printing light-colored patterns in the past. And the gradient area has better performance than before; the nozzle protection device can effectively protect the nozzle during the printing process and reduce the probability of physical damage.



- 4 x Epson I3200 Printhead
- 1200mm/48" print width
- , 9 color scheme
- Perfect for gradient color

HANRUN PAPER SEN-A331 ALL-IN-ONE DTF PRINTER

To further improve the experience of DTF users while ensuring a stable printing quality, Hanrun paper technical team has studied the integrated technology of printing shaking powder and drying. Till 2022, we obtained three patents for utility models, including an integrated uniform heating device and a printing deviation correction device. And we finally launched a brand new All-In-One DTF printer, SEN-331, which assembles the printer and the powder shaker. This printer has a number of advantages over other technologies, such as thermal transfer and even high-end DTG. Suitable for both white and dark textiles, and compatible with a wide range of fabric types (cotton, polyester, blends, leather, jeans, etc).



- , 2 Epson I3200 printheads
- Highly cost effective
- Heated feeding and printing platform
- · User friendly visualable control console

HANRUN PAPER B604 DTF POWDER SHAKER WITH AUTOMATIC POWDER RECYCLING SYSTEM

In order to further improve the efficiency of the DTF printer, we have upgraded the powder shaker to solve the tedious manual powder recovery process in the past. An automatic powder recovery system has been installed inside the DTF powder shaker.

A filter has been added to filter out unnecessary dust and dust impurities, so that the recovered hot melt powder is cleaner. It can effectively improve the utilization rate of hot melt powder, making the machine operation more time-saving and labor-saving than before, and you can get the maximum benefit in the simplest way.

- Automatic powder recovery
- More efficient and stable drying
- · Easy to operate, labor saving
- High-end control panel



HANRUN PAPER GLOSS HOT STAMPING VARNISH

Hot stamping varnish is a special gloss varnish that we use it with gloden foil or silver foil to add a special effect for your pattern. This ink has good flexibility after UV curing, is not easy to break, has low odor, low volatility, no harmful organic compounds, and has excellent continuous production performance in the uv printer.



- , Transparent uv varnish
- For hot stamping foil
- Sharp and clear pattern lines
- Suitable for a variety of media

HANRUN PAPER UV DTF PRO INK

Hanrun Paper UV DTF PRO professional grade UV curable ink is designed for UV DTF printing. The colors are vibrant and bright with good fluency and stability and have good anti-sun and anti-humidity abilities to be durable and intense in color output, making it the best choice for UV DTF substrate printing. It's eco-friendly and harmless, without volatile solvents.



- · Vibrant and bright colors
- Good fluency and stability
- > Strong sun resistance, moisture resistance and adhesion
- Eco-friendly and harmless

HANRUN PAPER GLOSS HOT STAMPING VARNISH

Hot stamping varnish is a special gloss varnish that we use it with gloden foil or silver foil to add a special effect for your pattern. This ink has good flexibility after UV curing, is not easy to break, has low odor, low volatility, no harmful organic compounds, and has excellent continuous production performance in the uv printer.

- Transparent uv varnish
- For hot stamping foil
- Sharp and clear pattern lines
- , Suitable for a variety of media



HANRUN PAPER DTF INK

Compared with the Evo version of DTF ink, the Pro high-end series inks that we have developed at the same time have better color performance, better stability of continuous printing, and can print longer format under the same conditions.

This waterbase pigment ink is designed for printing on DTF, or direct transfer film, which is a new technology for garments heat transfer-digital heat transfer. These DTF Inks suit for different films and the finished garment will not residue oil. Compared to EVO DTF Ink, PRO DTF Ink has better Imprint clarity and enhanced vividness.



HANRUN PAPER PRO DTF INK SPOT COLORS

Now people are tended to use colorful and unique patterns. Hanrun Paper provides DTF ink of spot colors and fluorscent color to meet those personalized requirements. We know that the images are in the RGB color mode on the computer, and when it comes to digital garment printing, we use the CMYK color mode. But due to the gap between the two color gamuts, the red, green, blue, and orange you see in print and the ones you see on your screen will be different. Therefore, Hanrun Paper launched four spot colors to resolve the color differences, create a wider color gamut, and restore delicate and rich hues.



- , R/G/B/OR color provide high color accuracy
- , Simulate well vivid and actual colors
- , Better color coverage on fabrics
- Wider range of colors

HANRUN PAPER DTF FLUORESCENT INK

The combination of fluorescent color and white ink enables fluorescent paint ink to be used in DTF digital printing solutions. This innovation gives DTF more possibilities at the application level. Compared with traditional fluorescent Heat transfer vinyl, DTF film is much more convenient and flexible and it's also a very easy-to-use technology. Our DTF inks are High color density and they have bright color and good fluency. No blocking the print nozzle and bleeding after printing. So you don't need to worry about rubbing. The white ink doesn't cast color and it has a strong covering ability.



- , Water-based inks suitable for DTF
- Vibrant tones and high flexibility
- Neon magenta, yellow, orange, green
- 1L/5L/20L/Bottle

HANRUN PAPER DTF GRADIENT INK


This DTF Gradient Ink is specially designed for printing on DTF or Direct Transfer Film to meet some customers' demands for high-quality image quality. The CMYK+W DTF water-based pigment ink is the most common color scheme in the market. To solve this, we developed a 9-color printing solution, adding LC/LM/LK/LLK based on CMYK and W. Using this 9 color scheme, you can print more vibrant and realistic images.



- Less graininess and smoother gradients
- Gradient color printable
- · Vibrant tones and high flexibility
- , 1KG/5KG/Bottle

PRO 100U HOT PEEL DTF FILM A3

- , 75µ matt matt double side hot peel
- , 100µ matt matt double side hot peel



HANRUN PAPER DTF FOIL ROLL 60CM X 100M

- , 100μ cold peel matt glossy single side
- , 100µ cold peel matt matt double side
- , 100u hot peel matt glossy single side
- , 100µ hot peel matt matt double side

HANRUN PAPER DTF FOIL ROLL 120CM X 100M

- , 100μ cold peel matt glossy single side
- , 100µ cold peel matt matt double side
- , 100u hot peel matt glossy single side
- , 100µ hot peel matt matt double side



DTF HOT MELT POWDER & BLACK HOT MELT POWDER

This powder is designed for printing on DTF, or direct transfer film, which is a new technology for T-shirt heat transfer-digital offset heat transfer. You can use our DTF printer to freely print the designed pattern on the coated PET film, then cover the printed pattern by this powder, and then transfer it to various fabric by heat transfer machine or electric iron. Medium or fine white adhesive powder to be applied for form a adhesive layer after the DTF printing process. Specially formulated thermoplastic polyurethane (TPU) hot melt adhesive powder, also referred to as PET film powder, adhesive powder.



DISPENSER FOR APPLICATION TAPES UP TO AND INCLUDING 61 CM

Dispenser for application tapes up to and including 61 cm. Due to the functional design, transfer films with a larger width can also be used






HANRUN PAPER DTF CLEANING SOULTION



BOTTLE WITH SPOUT 250ML



OMNIFIX SYRINGE 60ML



SAFE CUTTER



DTF CUTTER SC-A3 PLUS CUTTING MACHINE

A CNC flatbed cutter with conveyor feeding .it is mainly used to cut soft media without a cutting die. it is an efficient solution of perforation cutting, half cutting, creasing, marking, etc.

- Cutter Blade Diameters: ø1.5mm, ø2.0mm
- Max Cutting Speed: 600mm/s
- Max Cutting Force: 600G / 5.8N in 8 steps



SUBLISTAR SC-6090 FLATBED DTF CUTTER

A CNC flatbed cutter with conveyor feeding, it is mainly used to cut soft media without a cutting die such as Cardbord, Vinyl Sticker, Label, PVC, PET Film, PP Film, Reflective Film, Adhesive Sticker, Magnetic Sticker... It is an efficient solution of perforation cutting, half cutting, creasing, marking, etc.

- Working Size: 610 x 900mm
- Max. Cutting Speed: 600mm/s
- Max. Cutting Force: 600G / 5.8N in 8 steps



REFINE MH721

- Media width: 500 x 500 mm
- Cutting area: 600 mm x 50 mm Cutting speed: 113 m/s, diagonal
- , Adjustable knife pressure: 0-400 g Connection via USB, Serial RS 232
- Software included, Signmaster (Windows)
- Cutter control
- Macsign cut cutting software



HELITIN R-720

The Schulze PRETREATmaker IV is an automatic high-end pretreatment machine for professional high volume customers resulting from consistent refinement and trend insights. As a novelty the unit is equipped with a multiphase motor (step motor). This Pretreatment Machine does have a total of 4 spray valves which can be individually switched on or off. The maximum spray area is 16" in width and 24" in length. The width can be regulated by switching the 4 spray nozzle valves on or off.

- Flexible and Consistent Spray Amount Adjustment
- , Flexible and Accurate Spray Length Adjustment: 1 inches to 20 inches
- 4 Spray Nozzles
- Spray Area: 16" x 24"
- Most Advanced Touch Screen Control
- Barcode Integration Capability



VISIT STORMSUPPLY



WWW.STORMSUPPLY.DK

SUMMA D60

- , Media width: 500 x 500 mm
- , Cutting area: 600 mm x 50 mm
- Cutting speed: 113 m/s, diagonal
- › Adjustable knife pressure: 0-400 g
- Connection via USB, Serial RS 232
 Software included, WinPlotTM and MacSignTM
- · Cutter control



VINYL FOIL

We offer vinyl foil - the same assortment, we use for vinyl transfer orders. They can be transferred to a wide range of materials with heat and pressure. For example, you can make cuts of logos, texts, and patterns. Then, with a heat-press, you can transfer your design to fabric. In our assortment, there are all kinds of films for any applications; thick, thin, matt, glossy, transparent, with glitter, hologram, reflective, metallic, luminescent, fluorescent. We have also white, printable foils, where first you print and cut a motif, then, with a heat press, transfer it to fabric.











ROQPRINT NANO

30 years of knowledge, experience and engineering condensed into a powerful screen printing machine for small prints. This screen printing machine is offered in one configuration, 10 pallets and 4 colors. The maximum printing area is 200mm by 200mm. This screen printing machine is an extremely powerful platform for printing smaller areas, such as t-shirts, sleeves or tags. It outputs an impressive 1200 pieces per hour. It uses specially designed flash units that are already embedded in the machine itself.

It was designed to be small and still keep all the qualities of the ROQ screen printing machines, namely, the quality, durability, precision and reliability. Its smaller size makes it a perfect screen printing machine for smaller shops or to complement bigger machines. Having these market necessities in mind the ROQprint NANO was designed to fit through doors (the base of the machine is 800mm wide) and it can be moved without the need to level the machine lending the machine a unique set of uses and purposes.

- , Aluminum honeycomb pallets
- Squeegees with pneumatic movement
- Independent control panel on all print heads
- Choice of pneumatic screen holder: "U" clamp or pin system
- Print head central elevation
- , Frequency drive rotation system for a quick and smooth index
- Print heads with high-lift position for quick and easy screen cleaning
- Central control panel with polycromatic LCD touch screen
- Micro registration screen system with vernier scale
- Individual controls for managing print and flood speed, height and angle of the squeegees and stroke length
- NUMBER OF COLORS: 4
- NUMBER OF PALLETS: 10



ROQPRINT YOU

A screen printing machine must be robust, fast, reliable and precise. The ROQprint You is all of that and more. It is a performer. Elegant, the ROQprint You draws its strengths from the clever engineering applied on to it by ROQ. This screen printing machine uses top quality materials and best practices during its production. Innovating many times the processes and technics ROQ has improved the quality of its screen printing machines for over 3 decades now. Today the aim is the same that it was in the beginning as S. Roque. to create, produce and deliver top quality machines that last for decades.

- Aluminum honeycomb pallets
- Squeegees with electric movement with ac variator
- Independent control panel on all print heads
- Choice of pneumatic screen holder: "U" clamp or pin system
- Print head central elevation
- Frequency drive rotation system for a quick and smooth index
- Print heads with high-lift position for quick and easy screen cleaning
- Central control panel with polycromatic LCD touch screen
 Micro registration screen system with vernier scale
- Individual controls for managing print and flood speed, height and angle of the squeegees and stroke length
- NUMBER OF COLORS (MAX): 7-20
- NUMBER OF PALLETS: 8-22




ROQPRINT NEXT

30 years of knowledge, experience and engineering condensed into a powerful screen printing machine for small prints. This screen printing machine is offered in one configuration, 10 pallets and 4 colors. The maximum printing area is 200mm by 200mm. This screen printing machine is an extremely powerful platform for printing smaller areas, such as t-shirts, sleeves or tags. It outputs an impressive 1200 pieces per hour. It uses specially designed flash units that are already embedded in the machine itself.

It was designed to be small and still keep all the qualities of the ROQ screen printing machines, namely, the quality, durability, precision and reliability. Its smaller size makes it a perfect screen printing machine for smaller shops or to complement bigger machines. Having these market necessities in mind the ROQprint NANO was designed to fit through doors (the base of the machine is 800mm wide) and it can be moved without the need to level the machine lending the machine a unique set of uses and purposes.

- , Aluminum honeycomb pallets
- > Squeegees with electric movement with ac variator
- Independent control panel on all print heads
- Choice of pneumatic screen holder: "U" clamp or pin system
- Print head independent elevation
- , AC servo-motor rotation system
- , Central control panel with Polychromatic LCD touch screen (10")
- , Micro registration screen system with vernier scale
- Individual controls for managing print and flood speed, height and angle of the squeegees and stroke length
- Placement of the Flash Cure units under the print head
- NUMBER OF COLORS: 6-18
- NUMBER OF PALLETS: 8-20



ROQPRINT ECO

A screen printing machine must be robust, fast, reliable and precise. The ROQprint You is all of that and more. It is a performer. Elegant, the ROQprint You draws its strengths from the clever engineering applied on to it by ROQ. This screen printing machine uses top quality materials and best practices during its production. Innovating many times the processes and technics ROQ has improved the quality of its screen printing machines for over 3 decades now. Today the aim is the same that it was in the beginning as S. Roque. to create, produce and deliver top quality machines that last for decades.

- Aluminum honeycomb pallets
- Squeegees with electric movement with ac variator
- Independent control panel on all print heads
- · Choice of pneumatic screen holder: "U" clamp or pin system
- Print head central elevation
- , Frequency drive rotation system for a quick and smooth index
- Print heads with high-lift position for quick and easy screen cleaning
- , Central control panel with polycromatic LCD touch screen
- Micro registration screen system with vernier scale
- Individual controls for managing print and flood speed, height and angle of the squeegees and stroke length
- NUMBER OF COLORS (MAX): 7-20
- NUMBER OF PALLETS: 8-22



ROQDRY RUN

ROQdry RUN, is a flash cure unit that can answer to any need that a printer can have. After exploring, experimenting and evolving the technology of the flash units ROQ decided to create the ROQdry RUN. A powerful and versatile platform it is a construction optimized for performance.

- Analogic control panel
- 3 selectable drying areas
- · Controlable temperature
- Heat transmission by convection and radiation
- , Suitable for larger drying areas
- , Test function
- , Several power options available

ROQDRY ECO

ROQdry ECO is one of the models of the line ROQdry. It is completely automatic when connected to a ROQ automatic screen printing machine. It's dimensions allow for it to be placed under a printing head and at the same time the power to flash cure in a reliable and efficient way. In the ROQdry ECO you can choose the flash cure area as well the temperature and the time.



- , Control panel to regulate the time, the temperature and the area of drying
- Heat transmission by convection and radiation

ROQDRY EVOLUTION

The ROQ flash – ROQdry EVOLUTION, also known as EVO, is a flash cure unit that is extremely versatile. It was design with an extendable arm and a hood that rotates 90 degrees so that the EVO can adapt to any situation. The software allows for several EVO units to be turned on sequentially, this avoids energy spikes to your electrical structure.



- Digital control panel to regulate the time, the temperature and the area of drying
- Heat transmission by convection and radiation
- Suitable for larger drying areas

ROQPRESS IRON

At ROQ we create, design and build automatic screen printing machines. Both Oval and carousel. These screen printing machines in average output 1000 pieces per hour. With the same traits across the board, quality, durability, precision and updated with innovations every year. ROQ created a series of modules to complement the screen printing activity.

A series of different dryers, a module to foil automatically (the ROQpress Foil) in the middle of the screen printing job a module to flock also in the middle of the screen printing process (the ROQflock). The ROQasp was designed to complement the ROQflock.



 $[\]cdot$ This accessory is mounted on a print head and is fully compatible with the ROQ automatic screen printing machines

Available in two widths: 620 mm/24" and 470 mm/18"



ROQPACK

The ROQpack is a packing machine developed in order to provide high profitability and speed. Due to its performance it is one of the most relevant tools in the market regarding packaging of clothing pieces. This automatic packaging machine, conceived by ROQ, works with two large plastic reels (quick and easy to replace). The reels spread the top and bottom of the bag that is welded on the sides and closed on the bottom using the same welding process. The top is a flap that closes the bag. It is designed to pack batches of several pieces of any type or format: t-shirts, sweat-shirts, polos, shirts, trousers, skirts, towels, etc. The pieces need to be loaded into the machine already folded. This part can be automated with a ROQfold.

ROQFOLD

ROQ's folding machine, the ROQfold is a player of quality in the market for automatic textile folding. It folds any kind and shape of clothing such as t-shirts, sweatshirts, polos - short or long sleeves - trousers, skirts, dresses, etc. It is capable of a normal production of 800 pieces/hour. It needs only one operator to load the pieces. For the rest of process it is just needed the initial configuration of the lengths of the folds a type of folds (depending on the dimensions and type of the pieces) and then after this, it is an automated process. The machine can be run automatically or the operator can activate the machine by using a pedal. The speed of the machine is defined by the loader so that the work is properly done. The ROQfold, folding machine is fast, extremely accurate, super easy to use, very economical and efficient, with a very low maintenance it is extremely durable. Regarding durable, this project started in the 90's where ROQ, S. Roque at the time, sold several ROQfold machines. To our knowledge, all of them are still working and requesting very low maintenance still today. It is an older model with fewer features but it asserts the longevity of this new model in decades.


ROQLABEL A

The ROQLABEL A applies directly and automatically the labels in the garment. This machine is designed to working in conjunction with the ROQFOLD, and no operator is needed. Both machines connect and synchronize speeds so that they work at the same pace. If not the machine just needs to be supplied. Positioned at the ROQFOLD exit, the ROQLABEL A simplifies setup, label loading, and label positioning. The applicator control is made in the ROQFOLD control panel. ROQLABEL A use labels up to 80 mm wide, and rolls up to outside 300mm diameter and 76 mm coil roll diameter. This module, ad more value to the automatic process of packing. Cut in labor, save time and money!



SCREEN PRINTING PALLETS

The pallet is a central part of the screen printing process. At ROQ a great deal of attention was given to the design, materials, functions and construction of the screen printing pallets. The screen printing pallet is that part of the machine that subjected to most of the physical stress of the screen printing process, the pressure, rotation, temperature variations, etc. So having all of that in mind ROQ spent time and resources looking for a solution that improved greatly the screen printing. After several tests and tries ROQ came to results. The solution to be able to deliver high performance screen printing pallets was in the materials and specially the architecture inside the pallet.





ROQTUNNEL

ROQ offers a full line of automated screen printing machines. Both carousel and oval screen printing machines. When it comes down to dryers to complement the screen printing line, ROQ offers the ROQtunnel. At first sight it could be understood as a paradox but in truth the ROQtunnel is not one dryer but a powerful platform. This extremely developed and sophisticated platform has been refined over the last 30 years with the collaboration of many, many specialists and customers around the world. In different conditions, environments and curing different materials and technics. Today its versatility is absolute. The ROQtunnel was thought to be adapted to every screen printing shop and to complement any screen printing machines no matter the environmental conditions or the type of power available. The ROQtunnel can be run with electricity or with gas or even with both allowing the printer to switch from electricity to gas and from gas to electricity with a button. This feature is a must have for a dryer that is global. Only with this it can adapt to the needs of every market.

- > Thermal insulation of high density rockwool panels
- Axial flow fan for a constant hot-air circulation
- , Air purification filter for the burner
- Antistatic and resistant mesh conveyor high tensile strength PTFE coated belt
- Digital temperature display
- Internal exhaustion header system per module
- , Contact temperature control
- Min temp 90°C Max temp 200°C
- Option of 2 conveyors with independent speed and direction (optional)
- Different length's entry/exit openings (optional);
- GP (optional)
- ROQTUNNEL powered by gas, Electricity or Both (optional)



LUX DRYER LED

The LUXDRYER LED is a machine suitable to expose screen printing screen. The machine is equipped with special UV SPECIAL LEDS for faster screen exposure and maximum detail. The LUXDRYER LED is fully automatic and is equipped with a pressure meter for the vacuum to prevent accidental opening from screens.



LUX DRAWER

Exposure unit UV LED to be used in screens made by CTS (computer to screen)



BACPRINT AUTO TEXTILE

The BACPRINT AUTO TEXTILE is a semi-automatic washing and stripping to be used in screen printing screens. The BACPRINT AUTO TEXTILE is equipped with an internal tank capable to store up to 300 litters from chemical. The BACPRINT AUTO TEXTILE uses chemicals in closed loop circuit to achieve an optimal screen cleaning cost. The BACPRINT AUTO TEXTILE is capable to wash and strip screens that have been used with: Plastisol; water and UV inks.



BACPRINT AUTO DEVELOPING

Automatic screen developing machine



TEX WORK DOUBLE

The TEXWORK DOUBLE is a textile printing manual carousel equipped with double color deck. The TEXWORK DOUBLE has the capacity to install several special pallets such as: umbrellas; sleeves; jackets; caps; vacuum pallet and others. The TEXWORK DOUBLE is the equipped with micro registers in each color.



AIRDRYER 3M

The AIRDRYER 3M is a drying tunnel suitable to dry plastisol inks; water base or solvent inks. The AIRDRYER 3M is equipped with "a" hot air turbine that will work in a close loop air circuit for maximum drying capacity for water base and other types of ink.



AIR DRYER 3M + ASP AIR DRYER 2M

The TEXWORK DOUBLE is a textile printing manual carousel equipped with double color deck. The TEXWORK DOUBLE has the capacity to install several special pallets such as : umbrellas; sleeves; jackets; caps; vacuum pallet and others. The TEXWORK DOUBLE is the equipped with micro registers in each color.



INFRA DRYER 3M

The INFRADRYER ECO is a drying tunnel equipped suitable to dry plastisol inks; water base or solvent inks. The INFRADRYER ECO is equipped with hot air turbine that will work in close loop air circuit so you have maximum drying capacity in water base drying and other type of inks.



AKORN 2M

The TEXWORK DOUBLE is a textile printing manual carousel equipped with double color deck. The TEXWORK DOUBLE has the capacity to install several special pallets such as: umbrellas; sleeves; jackets; caps; vacuum pallet and others. The TEXWORK DOUBLE is the equipped with micro registers in each color.



AIR DRYER DOUBLE

The AIRDRYER DOUBLE is a drying tunnel suitable to dry the inks printed in DIRECT TO GARMENT (DTG). The AKORN DOUBLE is equipped with hot air turbine that will work in close loop air circuit so you have maximum drying capacity when working in the drying process from DIRECT TO GARMENT (DTG) inks. The AIRDRYER DOUBLE is also equipped with a double level belt system for minimum space occupation with the largest possible heat area. The AIRDRYER DOUBLE is also a drying tunnel 100% hot air.



CALMATECH JUNIOR

The Calmatech Junior is a compact tunnel dryer designed to cure inks on a range of materials and products. The Junior utilizes an airflow plate designed to ensure the entire drying surface is evenly heated. The metal filter ensures very little maintenance and cleaning is required. Should cleaning be required anyway, the power assisted hood makes this very easy. The Junior is CE compilant.

- JUNIOR S
- ELECTRIC HEATED
- EQUIPPED WITH A SIMPLE CONTROL PANEL
- , JUNIOR T
- ELECTRIC HEATED
- , EQUIPPED WITH A TOUCHSCREEN HMI DISPLAY
- FAN SPEED ADJUSTABLE
- \circ NOTIFICATION OF CLEANING AND MAINTENANCESCHEDULES AS WELL AS AIR PRESSURE
- MONITORING AND TIME TRACKING




CALMATECH TUNNEL DRYER

The Calmatech tunnel dryer is specially designed for the cure of inks on various materials. This dryer is available in various dimensions due to the modular design. The specially developed airflow plate in this dryer ensures even heating over the whole drying area. Calmatech uses the latest burner technologies. Due to this technology and attention to fuel efficient design, these dryers have a proven record of low gas consumption. Optionally available with infrared, uv or electric elements. The tunnel is easily accessible for cleaning due to the fitting of power assisted hoods. The tunnel is equipped with a touchscreen which enables you to set temperature and belt speed and there is a burner indicator. Remote access possible via a modem internet connection. In addition a heat exchanger can be fitted to the exhaust ducting to provide heat dur-ing cold periods. Provided with CE Mark.



PLASTISOL TRANSFER FOIL

- , Brand: Coveme
- , Type: Plastisol transfer release
- Thickness: 100 my
- › Size: 500 x 700 mm
- Pack vol: 300 sheets



DIGITAL TRANSFER FOIL

- , Brand: Coveme
- , Type: Kemafoil transfer release
- Thickness: 100 my
- , Size: 330 x 480 mm
- , Pack vol: 300 sheets



EMBROIDERY THREADS

Embroidery threads

We offer Well Brand Trilobal Polyester Embroidery Thread - the same assortment, we use for embroidery orders.

- Free from AZO and harmful substances
- ISO and Oeko-Tex standard
 Having trilobal characteristics, excellent durability and colourfullness
 Superior strength
- · High suitability
- High productivity
- Highy lustrous
- Colour fastness 4/5 (good)

, APPROX. DTEX (g/10000m)

120DX2

AVERAGE STRENGTH (cN)

975

Average elogation (%) 26 Shrinkage (Dry at 150C) 0.6%

Fastness (washing) ISO4-5





Planteskolevej 3 DK-9700 Brønderslev

+45 98 80 07 98 storm@stormtextil.dk www.stormsupply.dk